

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD


CABLE SPECIFICATION

Item	Unit	Specification
Awg	Awg	14#
No. of conductor	p,c	2C
Conductor	Material	99.997% Oxygen Free Copper (OFC)
	Construction	No./mm 105/0.16BS±0.008
	Stranded diameter	mm 1.89
	Material	PVC
Insulation	Nom. Thickness	mm 0.38(Ref.)
Filler	Diameter	mm 2.65±0.1
	Color	red ,black
	Material	420DNYLON
Jacket	Material	PVC
	Min. Thickness	mm 0.6
	Nom. Thickness	mm 0.75(Ref.)
	O.D	mm 7.0±0.2
	Color	White
Marking	E360310 (UL) CL2 SPEAKER CABLE 14AWG*2 STRANDED 001FT----250FT	
	Marking color:black	

REVISION INFORMATION

Rev.	Rev. Date	Modified By	Brief description

Configuration:



BestLinkNetware

DRAWN BY	Joe	DATE:	DESCRIPTION
CHECKED BY	Jack	2014/12/24	250Ft 14AWG/2C In-wall Speaker Wire, CL2 UL OD 7.0mm
APPROVED BY	Daniel	ITEM NO.	203721
SCALE 1:1		REV.00	UNIT:mm
			⊕

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD

PRODUCT PACKAGING DIMENSIONS:

PAPER SPOOL PACKAGING:

SIZE: Ø240*60*5*H100mm; (1PCS/1PCS)



SPOOL LABEL:

SIZE: OD235*ID70mm (2PCS/1PC)



REVISION INFORMATION


Rev.	Rev. Date	Modified By	Brief description

UL LABEL:

size:50*30mm(1PCS/SPOOL)

**250Ft 14AWG/2C
In-wall Speaker Wire,
CL2 UL OD 7.0mm**

FM3-250FT-UL label(1PCS)



Label position:



DRAWN BY	Joe	DATE:	2014/12/24	DESCRIPTION	250Ft 14AWG/2C In-wall Speaker Wire, CL2 UL OD 7.0mm
CHECKED BY	Jack			ITEM NO	203721
APPROVED BY	Daniel	SCALE 1:1	REV.00	UNIT:mm	⊕

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD

REVISION INFORMATION

Rev.	Rev. Date	Modified By	Brief description


Bestlink shipping mark

W-0532(203721) Carton K=K L50*W25*H24cm(4PCS/CTN)

Main Mark (Both side)

P/O:1401948
P/N:203721
Q'TY: 4 PCS
C/NO.:

MADE IN CHINA



Side Mark (Both side)



P/N:203721
Q'TY: 4 PCS
N.W.: KGS
G.W.: KGS
Date Code: -2015
Vender Code:PS01052



BestLinkNetware

DRAWN BY	Joe	DATE:	DESCRIPTION
CHECKED BY	Jack	2014/12/24	250Ft 14AWG/2C In-wall Speaker Wire, CL2 UL OD 7.0mm
APPROVED BY	Daniel	ITEM NO	203721
SCALE 1:1	REV.00	UNIT:mm	