

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD


CABLE SPECIFICATION

Item	Unit	Specification
Awg	Awg	16#
No. of conductor	p,c	2C
Conductor	Material	99.997% Oxygen Free Copper (OFC)
	Construction	No./mm 65/0.16BS±0.008
	Stranded diameter	mm 1.49
	Material	PVC
Insulation	Nom. Thickness	mm 0.41(Ref.)
Filler	Diameter	mm 2.30±0.1
	Color	red ,black
	Material	420D NYLON
Jacket	Material	PVC
	Min. Thickness	mm 0.6
	Nom. Thickness	mm 0.75(Ref.)
	O.D	mm 6.2±0.2
	Color	White
Marking	E360310 (UL) CL2 SPEAKER CABLE 16AWG*2 STRANDED 001FT----100FT	
	Marking color:black	

REVISION INFORMATION

Rev.	Rev. Date	Modified By	Brief description

Configuration:



BestLinkNetware

DRAWN BY	Joe	DATE:	DESCRIPTION 100Ft 16AWG/2C In-wall Speaker Wire, CL2 UL OD 6.2mm		
CHECKED E	Jack				
PPROVED B	Daniel			ITEM NO. 203723	
		SCALE 1:1	REV.00	UNIT:mm	

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD

PRODUCT PACKAGING DIMENSIONS:


PAPER SPOOL PACKAGING:

Size: Ø165*60*5*H80mm; (1PCS/1PCS)



SPOOL LABEL:

Size: OD160*ID70mm (2PCS/1PC)



REVISION INFORMATION


Rev.	Rev. Date	Modified By	Brief description

LABEL:


203723 label 50*30MM(1PCS/spool)

FM3-100FT-UL label(1PCS)

**100Ft 16AWG/2C
In-wall Speaker Wire,
CL2 UL OD 6.2mm**



label position :



DRAWN BY	Joe	DATE:	2014/12/24	DESCRIPTION	100Ft 16AWG/2C In-wall Speaker Wire, CL2 UL OD 6.2mm
CHECKED E	Jack			ITEM NO.	203723
PPROVED B	Daniel	SCALE 1:1	REV.00	UNIT:mm	

NOTE:ALL MATERIAL COMPLIANT ROHS STANDARD

REVISION INFORMATION

Rev.	Rev. Date	Modified By	Brief description

Bestlink shipping mark

W-0534 (203723) Carton box K=K L35*W34*H30cm(12PCS/CTN)

Side Mark (Both side)

Main Mark (Both side)

P/O:1401948
P/N:203723
Q'TY: 12 PCS
C/NO.:

MADE IN CHINA

P/O:1401948
P/N:203723
Q'TY: 12 PCS
C/NO.:

MADE IN CHINA



P/N:203723
Q'TY: 12 PCS
N.W.: KGS
G.W.: KGS
Date Code: -2015
Vender Code:PS01052



DRAWN BY	Joe	DATE:	DESCRIPTION		
CHECKED E	Jack		100Ft 16AWG/2C In-wall Speaker Wire, CL2 UL OD 6.2mm		
PPROVED B	Daniel			ITEM NO. 203723	
SCALE 1:1		REV.00	UNIT:mm		